

Safety Data Sheet: DYNASOLVE

Supersedes Date 11/30/2010

Issuing Date 05/23/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name DYNASOLVE
Recommended use Solvent
Information on Manufacturer
Partsmaster, Div of NCH Corp.
P.O. Box 655326
Dallas, TX 75265-5326

Product Code 0382
Chemical nature Petroleum distillates
Emergency Telephone Number
CHEMTREC® 800-424-9300

2. HAZARD IDENTIFICATION

Color Colorless

Physical State Liquid

Odor Citrus

GHS

Classification

Physical Hazards

Flammable liquids

Category 4

Health Hazard

Aspiration Toxicity

Category 1

Acute Inhalation Toxicity - Vapors

Category 3

Acute Inhalation Toxicity - Dusts and Mists

Category 3

Skin Corrosion/Irritation

Category 2

Serious Eye Damage/Eye Irritation

Category 2B

Respiratory Sensitization

Category 1

Skin Sensitization

Category 1

Specific target organ systemic toxicity (single exposure)

Category 3

Specific target organ systemic toxicity (repeated exposure)

Category 2

Other hazards

None

Labeling

Signal Word

DANGER



Hazard Statements

H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H320 - Causes eye irritation

H331 - Toxic if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H336 - May cause drowsiness or dizziness

H304 - May be fatal if swallowed and enters airways

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements

P280 - Wear protective gloves, protective clothing and eye protection.

P210 - Keep away from heat, sparks, open flames or hot surfaces.

P270 - Do not eat, drink or smoke when using this product

P260 - Do not breathe vapor or mist

P271 - Use in a well-ventilated area.

P285 - In case of inadequate ventilation wear respiratory protection

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace

P302+ P352 - IF ON SKIN: Wash with plenty of soap and water

P333 - If skin irritation or rash occurs get medical attention.

P362 - Take off contaminated clothing and wash before reuse

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists, get medical attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P342 + P311 - If experiencing respiratory symptoms, call a physician

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a physician if unwell.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents and container in accordance with applicable regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No	Weight %
Petroleum distillates, hydrotreated light	64742-47-8	60-100
D-Limonene	5989-27-5	15-40

4. FIRST AID MEASURES

General advice	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Inhalation	Move to fresh air. In case of shortness of breath, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.
Notes to physician	May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

Flash Point	141 °F / 61 °C	Method	Closed cup
Flammability Limits in Air %	Solvent mixture.	Upper	7.0
		Lower	0.6
Suitable Extinguishing Media	Foam. Water spray. Carbon dioxide (CO ₂). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Specific hazards arising from the chemical	Combustible Liquid. Solvent vapors are heavier than air and may spread along floors. Vapors may ignite and explode. Material can create slippery conditions.		
Protective Equipment and Precautions for Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.		
NFPA	Health 2	Flammability 2	Instability 0
HMIS	Health 2	Flammability 2	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Material can create slippery conditions.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up	Use clean non-sparking tools to collect absorbed material. Pick up and transfer to properly labeled containers.
Neutralizing Agent	Not applicable.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.			
Storage	Keep away from heat and sources of ignition. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.			
Storage Temperature	Minimum	35 °F / 2 °C	Maximum	120 °F / 49 °C
Storage Conditions	Indoor	X	Outdoor	Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component	ACGIH TLV	OSHA PEL	NIOSH
Petroleum distillates, hydrotreated light	5 mg/m ³ as oil mist	10 mg/m ³ as oil mist	No data available
D-Limonene	No data available	No data available	No data available

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
Personal Protective Equipment	
Eye/Face Protection	Safety glasses with side-shields.

Skin Protection	Wear suitable protective clothing, Impervious gloves.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General Hygiene Considerations	Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	Viscosity	Non viscous
Color	Colorless	Odor	Citrus
Odor Threshold	Not applicable	Appearance	Transparent
pH	No data available	Specific Gravity	0.82
Evaporation Rate	0.03 (Butyl acetate=1)	Percent Volatile (Volume)	100
VOC Content (%)	100	VOC Photoreactive (Y/N)	Yes
VOC Content (g/L)	819	Vapor Pressure	0.51 mmHg @ 70°F
Vapor Density	4.9 (Air = 1.0)	Solubility	Negligible
n-Octanol/Water Partition	No data available	Melting Point/Range	
Decomposition Temperature	No data available	Boiling Point/Range	424 °F / 218 °C
Flammability (solid, gas)	No data available	Method	Closed cup
Flash Point	141 °F / 61 °C	Upper 7.0 Lower 0.6	
Autoignition Temperature	No information available.		
Flammability Limits in Air %	Solvent mixture.		

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	None known
Incompatible Products	Strong oxidizing agents, Strong acids and strong bases, Halogenated hydrocarbon, Vinyl compounds, Fluorinated hydrocarbons.
Hazardous Decomposition Products	Carbon oxides
Possibility of Hazardous Reactions	None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 3, 2009):

Oral LD50	4,802.38
Dermal LD50	2,002.37
Inhalation LC50	
Gas	No information available
Mist	5.21
Vapor	5.21

Principle Route of Exposure Skin contact, Eye contact, Inhalation.

Primary Routes of Entry Inhalation, Skin Absorption.

Acute Effects

Eyes Causes eye irritation.

Skin Causes skin irritation. May cause allergic skin reaction.

Inhalation Irritating to respiratory system. Inhalation may cause central nervous system effects. May cause central nervous system depression. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. May cause allergic respiratory reaction.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if swallowed - can enter lungs and cause damage. May be fatal if swallowed and enters airways.

Chronic Toxicity

Target Organ Effects May cause sensitization of susceptible persons. Liver and kidney injuries may occur.

Aggravated Medical Conditions Respiratory system, Immune system, Liver, Kidney, Central nervous system, Skin.

Component Information Skin disorders, Respiratory disorders, Neurological disorders, Liver disorders, Kidney disorders.

Acute Toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h	no data available	no data available
D-Limonene	= 4400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	no data available	no data available	no data available

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Petroleum distillates, hydrotreated light	no data available	no data available	no data available	no data available	respiratory system, liver, kidney, CNS
D-Limonene	no data available	Skin sensitization,	no data available	no data available	CNS, immune system,

	Respiratory sensitization		lungs, liver, kidneys
--	---------------------------	--	-----------------------

Carcinogenicity There are no known carcinogenic chemicals in this product.

Component	ACGIH	IARC	NTP	OSHA	Other
Petroleum distillates, hydrotreated light	not applicable	not applicable	not applicable	not applicable	not applicable
D-Limonene	not applicable	not applicable	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Petroleum distillates, hydrotreated light	no data available	LC50 = 45 mg/L Pimephales promelas 96 h LC50 = 2.2 mg/L Lepomis macrochirus 96 h LC50 = 2.4 mg/L Oncorhynchus mykiss 96 h	no data available	LC50= 4720 mg/L 96 h	N/A
D-Limonene	no data available	LC50 0.619 - 0.796 mg/L Pimephales promelas 96 h LC50 = 35 mg/L Oncorhynchus mykiss 96 h	no data available	no data available	N/A

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name <119 Gals; NOT REGULATED >119 gals; Combustible Liquid, N.O.S.,(Aliphatic petroleum distillates, d'limonene)
Hazard Class 3
UN-No NA1993
Packing Group III
Description NA1993, Combustible Liquid, N.O.S.,(Aliphatic petroleum distillates, d'limonene),3,III

TDG

Hazard Class 3
UN-No NA1993
Packing Group III

ICAO

Not regulated

IATA

Not regulated

IMDG/IMO

Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies

DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	Yes	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Petroleum distillates, hydrotreated light	Not applicable	Not applicable
D-Limonene	Not applicable	Not applicable

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

16. OTHER INFORMATION

Prepared By	Angela Hutson
Supersedes Date	11/30/2010
Issuing Date	05/23/2013
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

Partsmaster, Div of NCH Corp. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.